

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

www.maha.nt-rt.ru | | mha@nt-rt.ru

Технические характеристики на блоки питания E-Box компании МАНА

Модели: E-BOX, E-BOX with lift control FOR IN-GROUND LIFTS, E-BOX with lift control FOR RUNWAY LIFTS

MODULAR SYSTEM

The E-BOX provides a power supply directly at the workstation for lift control

- ◆ Ergonomic workplace design with short distances
- ◆ Quality design using aluminum and plastic
- ◆ Complete delivery, pre-wired, with CE declaration of conformity
- ◆ Fitted with a power supply (230/400 V), compressed air, data socket, lift control and a battery charger support



Integrated lift control




Easy handling of compressed air couplings, which are arranged at the bottom (safety compressed air couplings ISO 4414, EN 983), and the (400 V) power supply.



Data socket CAT6 - (option)



Easy opening of light-current protective cover



Manual operation of the Energy Box thanks to ergonomically placed handles



ALL E-BOX VERSIONS ARE SUPPLIED WITH PRE-ASSEMBLED

ON-SITE ASSEMBLY



The E-BOX is attached to the ceiling or mounted to an on-site profile using a special fastening set.

The E-BOX can be hung vertically as it is equipped with a long base body and vibration dampers.

A "retaining cable" provides additional security.

- ◆ Cables and hoses are routed inside the vibration damper.
- ◆ With retaining cable and extraction spring as standard.



BATTERY CHARGER SUPPORT



Battery charger

- ◆ Can be used for mobile service
- ◆ For chargers with order number VZ 990429 or VAS 5900A
- ◆ Compact unit



ABLED 5 M CABLE WITH CE DECLARATION AS STANDARD

	E-BOX	E-BOX with lift control FOR IN-GROUND LIFTS	E-BOX with lift control FOR RUNWAY LIFTS
Item No.	VZ 990416	VZ 990417	VZ 990418

EQUIPMENT HEIGHT OF THE ASSEMBLY MEASURED FROM THE BOTTOM EDGE OF THE E-BOX!

	(130 mm) Series	(130 mm) Series	(130 mm) Series
230 V 2-way sockets	(130 mm) Series	(130 mm) Series	(130 mm) Series
Sockets, 230 V 4-way	(210 mm) Option	(210 mm) Option	(210 mm) Option
Power socket, 400 V / 16 A	(0 mm) Option	(0 mm) Option	(0 mm) Option
Computer sockets (CAT6)	(125 mm) Option	(125 mm) Option	(125 mm) Option
Compressed air safety couplings (2 pcs)	(0 mm) Series	(0 mm) Series	(0 mm) Series
Lift control	without	(120 mm) Series	without
Lift control runways	without	without	(152 mm) Series
Battery charger/charger support			Option
Removable battery charger			Option
Fastening set (cable, air hose, fittings)			Option

OPERATION

Manual operation of lift control	Series
Compressed air supply is vertical from below	Series
Power connection is vertical from below	Series

ASSEMBLY/DELIVERY SCOPE

Vibration damper/extension	Series
Relief spring	Series
Safety cable for relief spring	Series
Handle with protective rubber	Series
Overall height with spring (large overall height giving low oscillations)	1500
Length of cable set without E-BOX	5000
Length of cable set with E-BOX	6500
Technical Manual (German, English, French and Spanish)	Series
CE Declaration of Conformity	Series

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93